TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD Rose Island Light Station MONTH OF January 1961

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	3,000		225	24	10,000		
EXPENDED	150		25	0	1,500		
REMAINING	2,850		200	24	8,500		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON LOW VISIBILITY	RADIO BEACON REGULAR CALIBRATION	RADIO BEACON SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	594.40 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	56.00 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	660.40 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
16585 BOATS (BY NO.)	X				
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
Gull Rocks L/S	547	Good	

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT

"J""W" Owens, BM1
(Officer in Charge)

100

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 1 Jan. 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	calm		29.48	-	34	BC	-	-	8	-	-
0400	NW	2	29.40	-	34	BC	-	-	8	-	-
0800	NE	3	29.86	-	36	C	-	-	8	-	-
1200	NE	5	29.60	-	40	R	-	-	6	-	-
1600	NE	2	29.30	-	42	F	-	-	5	-	-
2000	NE	3	29.46	-	36	BC	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1410	24	2500
EXPENDED	10	—	100
REMAINING	1400	24	2400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 0900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0900	1330	4	30	
1600	1800	2	00	
TOTAL FOR DAY		6	30	
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0730 Secured main light

0800 Colors -

0900 Started Fog signal - Gull Rocks Bell + main light.

1200 Chow

1330 Secured Fog signal - Gull Rocks Bell

1600 Colors - Main Light on - Fog signal on - Gulls Rocks Bell on

1800 Secured fog signal + Gull Rocks Bell

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 2 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport, R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	1	29.60	–	28	BC	–	–	8	–	–
0400	NE	2	29.80	–	28	BC	–	–	8	–	–
0800	NE	2	30.00	–	34	BC	–	–	8	–	–
1200	W	2	30.04	–	44	BC	–	–	8	–	–
1600	Calm		30.06	–	42	BC	–	–	8	–	–
2000	Calm		30.10	–	30	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1400	24	2400
EXPENDED	10	–	100
REMAINING	1390	24	2300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		6	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000	Checked all Vis A/N
0400	Checked all Vis A/N
0730	Secured main light
0800	Colors.
1200	Chow
1600	Main light on - Colors. Checked all Vis A/N
2000	Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tues 3 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport, R. I.

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	Calm	—	30.10	—	28	c	—	—	8	—	—
0400	NW	2	30.10	—	24	c	—	—	8	—	—
0800	NW	2	30.10	—	26	c	—	—	8	—	—
1200	NW	2	30.00	—	36	BC	—	—	8	—	—
1600	NW	2	30.00	—	32	BC	—	—	8	—	—
2000	NW	2	29.94	—	28	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1390	24	2300
EXPENDED	10	—	100
REMAINING	1380	24	2200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/n
0400 checked all Vis A/n
0730 secured main Light
0800 Colors - Turn to
1200 Chow
1300 Turn to
1600 Secured - Colors - Main Light - Checked all Vis A/n
2000 Checked all Vis A/n

CERTIFIED TO BE CORRECT

J. W. [illegible] BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wed. 4 Jan 1961 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	29.90	—	26	BC	—	—	8	—	—
0400	W	2	29.86	—	24	BC	—	—	8	—	—
0800	W	2	29.90	—	26	BC	—	—	8	—	—
1200	NW	3	29.80	—	28	BC	—	—	8	—	—
1600	NW	3	29.85		26	S	—	—	8	—	—
2000	NW	2	29.94		24	D	—	—	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1380	24	2200
EXPENDED	10	—	100
REMAINING	1370	24	2100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		6	80	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All Vis A/N

0400 Checked All Vis A/N

0730 Secured main Light

0800 Morning colors - Turn to

1200 Chow

1300 Turned To

1600 Secured - colors - Main light on

2000 Checked all vis a/n

CERTIFIED TO BE CORRECT

J. W. Auer BM1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thur. 5 Jan. 1961 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Nw	2	30.00	—	22	BC	—	—	8	—	—
0400	Nw	3	30.02	—	22	BC	—	—	8	—	—
0800	Nw	3	30.03	—	25	B	—	—	8	—	—
1200	Nw	2	30.05	—	43	B	—	—	8	—	—
1600	Nw	2	30.01	—	42	B	—	—	8	—	—
2000	Nw	2	29.99	—	30	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1370	24	2100
EXPENDED	10	—	100
REMAINING	1360	24	2000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

~~0000~~ checked all vis a/n
0400 checked all vis a/n
0730 Secured Main light
0800 - colors turned to
1030 - ~~Group Commanders inspection~~
1200 - chow
1600 - colors main light on
secured
2000 - checked all vis a/n

CERTIFIED TO BE CORRECT

J. W. Owens (BM)
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Fri. 6 Jan. 1961 (Insert day of week, day, month, year) LOCATION Newport, R. I.

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	2	29.97	–	37	B	–	–	8	–	–
0400	W	3	29.96	–	39	B	–	–	8	–	–
0800	SW	2	29.96	–	44	Bc	–	–	8	–	–
1200	SW	2	29.92	–	44	Bc	–	–	8	–	–
1600	SW	3	29.88	–	43	Bc	–	–	8	–	–
2000	SW	3	29.88	–	43	Bc	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1360	24	2000
EXPENDED	10	–	100
REMAINING	1390	24	1900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH		2	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- checked all nis ok

0400- checked all nis ok

0700- main light off

0900 colors turned to

1000- Group Commanders inspection

1200- chow

1300- turned to

1600 secured colors main light on

2000 checked all nis a n

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sat. 7 Jan 1961 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	4	29.84	—	42	Bc	—	—	8	—	—
0400	SW	3	29.87	—	40	B/C	—	—	8	—	—
0800	SW	2	29.91	—	44	B	—	—	8	—	—
1200	SW	1	29.96	—	50	B	—	—	8	—	—
1600	SW	1	29.90	—	47	B	—	—	8	—	—
2000	SW	1	29.97	—	45	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1300	24	1900
EXPENDED	10	—	100
REMAINING	1380	24	1800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		4	50	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all nav aids

0400 - checked all nav aids

0700 - main light off

0800 - colors turned to cleanup

1200 - chow

1600 - colors main light on

2000 - checked all nav aids

CERTIFIED TO BE CORRECT

J. W. [illegible]

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sun. 8 Jan. 1961 (Insert day of week, day, month, year) LOCATION Newport, R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	1	29.80	—	43	B	—	—	8	—	—
0400	W	1	29.80	—	40	B	—	—	8	—	—
0800	W	2	29.76	—	43	B	—	—	8	—	—
1200	W	2	29.73	—	45	B	—	—	8	—	—
1600	W	3	29.70	—	45	B	—	—	8	—	—
2000	NW	3	29.77	~	36	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1380	24	1800
EXPENDED	10	—	100
REMAINING	1370	24	1700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		6	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all nav's a/w

0400 - Checked all Nav's A/W
0730 - Secured main light.
0800 - Colors -

1200 - Chow

1600 - Main light on - Colors - Checked all Nav's A/W

2000 - Checked all Nav's A/W

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Mon. 9 Jan 1961 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	4	29.80	–	27	B	–	–	8	–	–
0400	NW	4	29.84	–	20	B	–	–	8	–	–
0800	NW	4	29.86	–	24	BC	–	–	8	–	–
1200	NW	3	30.00	–	36	BC	–	–	8	–	
1600	NW	3	30.06	–	34	BC	–	–	8	–	–
2000	NW	2	30.10	–	32	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1370	24	1700
EXPENDED	10	–	100
REMAINING	1360	24	1600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000	Checked all Vis A/N
0400	Checked All Vis A/N
0730	Secured main Light
0800	Colors - Turn to
1030	Owens, BM1 Returned from liberty - Sutton, S.N. Departed
1200	Chow
1300	Turn to
1600	Secured from work - Main Light on - Colors - Checked all Vis A/N
2000	Checked all Vis A/N.

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 10 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	2	30.18	–	20	BC	—	—	8	—	—
0400	NW	2	30.24	–	18	BC	—	—	8	—	—
0800	NW	2	30.30	–	22	BC	—	—	8	—	—
1200	W	2	30.30	–	28	BC	—	—	8	—	—
1600	W	2	30.30	–	32	BC	—	—	8	—	—
2000	SW	2	30.28	–	32	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1360		1600
EXPENDED	10		100
REMAINING	1350		1500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all V's A/N

0400 Checked all Vis A/N

0730 Secured main Light

0800 Colors - Turn to.

1200 Chow.

1300 Turn to.

1600 Secured - main light on - Colors - checked all V's A/N

2000 checked all Vis A/N.

CERTIFIED TO BE CORRECT

J. V. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wed. 11 Jan. 1961 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.24	—	28	BC	—	—	8	—	—
0400	SW	3	30.22	—	28	BC	—	—	8	—	—
0800	SW	3	30.20	—	32	BC	—	—	8	—	—
1200	SW	5	30.10	—	36	BC	—	—	8	—	—
1600	SW	5	30.06	—	34	BC	—	—	8	—	—
2000	SW	3	30.04	—	34	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1350	24	1500
EXPENDED	10	—	100
REMAINING	1340	24	1400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0900	1600	1	—	
TOTAL FOR DAY		1	00	
TOTAL FOR MONTH		7	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked all the A/N

0400 checked all the A/N

0730 Secured main light

0800 Colors – Turn to.

1200 Chow – Sutton, SN returned from liberty

1300 Turn to.

1600 Secured – Main light – Colors – checked all the A/N

2000 checked all the A/N

CERTIFIED TO BE CORRECT

J. W. [illegible] Bos'n
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

Digital Surrogate of NARA Original Record - NND 988096

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thurs. 12 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.00	~~32~~	32	BC	—	—	8	—	—
0400	W	2	30.04	—	28	BC	—	—	8	—	—
0800	NW	2	30.10	—	28	BC	—	—	8	—	—
1200	NW	2	30.12	—	38	BC	—	—	8	—	—
1600	N	2	30.20	—	36	BC	—	—	8	—	—
2000	W	2	30.30	—	32	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1340	24	1400
EXPENDED	10	—	100
REMAINING	1330	24	1300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		7	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All Xis A/W

0400 Checked All Xis A/W

0730 Secured main Light

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Secured - Main Light - Colors - Checked All Xis A/W

2000 Checked All Xis A/W

CERTIFIED TO BE CORRECT

J. W. [illegible]

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 13 Jan. 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	30.30	—	28	BC	—	—	8	—	—
0400	Calm		30.30	—	26	BC	—	—	8	—	—
0800	SW	2	30.32	—	30	BC	—	—	8	—	—
1200	SW	3	30.30	—	38	BC	—	—	8	—	—
1600	SW	4	30.26	—	40	BC	—	—	8	—	—
2000	SW	2	30.18	—	38	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1330	24	1300
EXPENDED	10	—	100
REMAINING	1320	24	1200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		2	36		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0730 Secured main light

0800 Colors — Turn to

1200 Chow

1300 Turn to

1600 Secured - Main Light on - Colors - Checked all Vis A/N

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sat. 14 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		30.14	-	36	BC	—	—	8	—	—
0400	Calm		30.10	-	34	BC	—	—	8	—	—
0800	SW	2	30.08	—	36	F	—	—	2	—	—
1200	SW	2	30.02	-	44	F	—	—	4	—	—
1600	SW	2	29.98	-	46	BC	—	—	8	—	—
2000	W	2	29.94	-	44	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1320	24	1200
EXPENDED	10	—	100
REMAINING	1310	24	1100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1230 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0630	1230	6	—	18
TOTAL FOR DAY		6	—	
TOTAL FOR MONTH		18	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All Vis A/N

0400 Checked all Vis A/N

0630 Fog Signal - Gulls Rocks Bell on

0800 Colors - Turn to

1200 Chow

1230 Secured Fog horn - Main Light & Gull Rocks Bell

1300 Turn to.

1600 Secured - Main Light on - Colors - Checked all Vis A/N

2000 Checked All Vis A/N

CERTIFIED TO BE CORRECT

J. W. [illegible] BM
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 15 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	4	29.90	—	40	BC	—	—	8	—	—
0400	NE	5	29.90	—	36	BC	—	—	8	—	—
0800	NE	5	29.90	—	38	C	—	—	8	—	—
1200	NE	5	29.90	—	36	C	—	—	8	—	—
1600	N	4	29.90	—	36	C	—	—	8	—	—
2000	N	4	29.88	—	32	S	—	—	5	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1310	24	1100
EXPENDED	10	—	100
REMAINING	1300	24	1000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only) | RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES: REGULAR RADIOBEACON		CALIBRATION SERVICES: SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
1800	2400	6	00										
TOTAL FOR DAY		6	00		TOTAL FOR DAY								
TOTAL FOR MONTH		19	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0730 Secured main light

0800 Colors -

1200 Chow

1600 - Colors - Main light on - Checked all Vis A/N

1800 Started fog signal + Gull Rocks Bell

2000 Checked Vis A/N

CERTIFIED TO BE CORRECT

J. W. [illegible]

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 16 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	5	29.88	-	30	R	—	—	5	—	—
0400	N	6	29.84	-	30	R	—	—	5	—	—
0800	N	6	29.80	-	32	R	—	—	5	—	—
1200	NW	5	29.64	-	30	CR	—	—	7	—	—
1600	NW	4	29.64	-	29	B/V	—	—	8	—	—
2000	NW	3	29.66	-	27	B/C	—	—	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1300	24	1600
EXPENDED	10	—	100
REMAINING	1290	24	900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1030 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1030	10	30	
TOTAL FOR DAY		10	30	
TOTAL FOR MONTH		28	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Nav A/N

0400 Checked all Nav A/N

0800 Colors - Turn to

1030 Secured Fog signal - Gulf Ports Bell + main Light.

1100 One [illegible] departed on liberty

1200 - Chow

1210 - turned to

1600 - colors secured main light on

2000 - checked all nav a/n

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 17 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	W	1	29.67	—	25	B/C	—	—	8	—	—
0400	SW	1	29.67	—	29	B	—	—	8	—	—
0800	SW	1	29.68	—	33	B	—	—	8	—	—
1200	SW	1	29.68	—	41	B	—	—	8	—	—
1600	SW	2	29.68	—	37	B	—	—	8	—	—
2000	SW	2	29.68	—	35	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3000 ~~1290~~	24	10,000
EXPENDED	10	—	100
REMAINING	2990 ~~1280~~	24	9900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH		9	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all nav a n

0400 - checked all nav a n

0700 - main light off

0800 - colors thrown to

1230 - CGC Spar arrived unit to deliver fuel and water

1415 - CGC Spar departed unit delivered 9,100 water and ~~1000~~ 1,770 fuel

1600 - colors main light on - secured

2000 - checked all nav a n

CERTIFIED TO BE CORRECT

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wed. 18 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.69	–	33	B	–	–	8	–	–
0400	SW	2	29.69	–	33	B	–	–	8	–	–
0800	SW	3	29.64	–	37	B	–	–	8	–	–
1200	SW	3	29.70	–	42	B	–	–	8	–	–
1600	SW	2	29.74	–	40	B	–	–	8	–	–
2000	SW	2	29.77	–	37	B	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2990	24	9900
EXPENDED	10	–	100
REMAINING	2980	24	9800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		169	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- checked all nis a n
0400- checked all nis a n
0700- main light off
0800- colors turned to
1100- owens returned from liberty
sutton departed
1200- chow
1600- colors secured
main light on
2000- checked all nis. a n

CERTIFIED TO BE CORRECT

J. V. Owens BM
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thur 19 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	1	29.80	–	35	B/C	–	–	8	–	–
0400	NW	1	29.97	–	31	B/C	–	–	8	–	–
0800	NW	1	29.90	–	30	B/C	–	–	8	–	–
1200	NW	1	29.94	–	29	0	–	–	8	–	–
1600	NE	2	29.87	–	21	0	–	–	8	–	–
2000	NE	3	29.80	–	19	0 S	–	–	7	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2980	24	9800
EXPENDED	10	–	100
REMAINING	2970	24	9700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
2030	2400	3	30										
TOTAL FOR DAY		3	30		TOTAL FOR DAY								
TOTAL FOR MONTH		39	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- checked all nis a m

0400- checked all nis a m

0700- main light off

0800- colors, checked all nis a m

turned to

1200- chow

1300- turned to

1600- colors secured main light on

2000- checked all nis a m

2040- fog horn on

CERTIFIED TO BE CORRECT

J. W. Ayers BM1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Fri 20 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	5	2950	—	16	S	—	—	3	—	—
0400	NE	6	29 30	—	12	S	—	—	3	—	—
0800	NE	6	29-20	—	12	S	—	—	3	—	—
1200	NE	5	29.10	—	12	C	—	—	3	—	—
1600	NE	5	29.20	—	11	C	—	—	5	—	—
2000	NW	4	29.28	—	11	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2970	24	9700
EXPENDED	10	—	100
REMAINING	2960	24	9600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 24 hr. Cycle Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1530	15	30	
TOTAL FOR DAY		15	30	
TOTAL FOR MONTH		[illegible]	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N

0400 Checked all Vis A/N

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Colors - Checked Vis A/N.

1630 Secured fog signal & Gull Rocks Bell.

1800 Castle Hill called to check all aids. lighted Bell
Buoy reported out.

2000 Checked all Vis A/N - Bell Buoy still out.

CERTIFIED TO BE CORRECT

J. W. [illegible]
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sat. 21 Jan 1961 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	4	29.40	—	8	C	—	—	8	—	—
0400	N	3	29.58	—	6	C	—	—	8	—	—
0800	N	4	29.74	—	8	BC	—	—	8	—	—
1200	NW	3	29.80	—	76	BC	—	—	8	—	—
1600	NW	3	29.84	—	18	BC	—	—	8	—	—
2000	NW	2	29.90	—	14	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2960	24	9600
EXPENDED	10	—	100
REMAINING	2950	24	9500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		48	60	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured main Light

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Secured from Work & Checked all Vis A/N

1630 Main Light on - Colors

2000 Checked All Vis A/N

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 22 Jan 1961 Sunday (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	W	2	29.94	–	10	BC	–	–	8	–	–
0400	Calm		30.00	–	18	B	–	–	8	–	–
0800	Calm		30.00	–	20	B	–	–	8	–	–
1200	SW	3	29.96	–	26	B	–	–	8	–	–
1600	SW	4	29.92	–	22	BC	–	–	8	–	–
2000	SW	3	29.96	–	18	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2950	24	9500
EXPENDED	10	–	100
REMAINING	2940	24	9400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH		48	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000	checked all Vis A/N
0400	Checked all Vis A/N
0700	Secured main light
0800	Colors
1200	Chow
1600	Checked all Vis A/N
1630	main light on - Colors
2000	checked all Vis A/N

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 23 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.02	—	14	BC	—	—	8	—	—
0400	SW	2	30.02	—	10	BC	—	—	8	—	—
0800	SW	2	30.06	—	12	BC	—	—	8	—	—
1200	W	3	29.96	—	25	C	—	—	8	—	—
1600	NW	3	29.94	—	22	C	—	—	8	—	—
2000	NW	2	29.92	—	18	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2940	24	9400
EXPENDED	10	—	100
REMAINING	2930	24	9300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		48	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured main light

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Secured from work - checked all Vis A/N

1630 Main Light on - Colors.

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 24 Jan 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2990	–	12	BC	–	–	8	–	–
0400	Calm		29.88	–	10	C	–	–	8	–	–
0800	Calm		29.88	–	14	C	–	–	8	–	–
1200	NW	3	29.80	–	22	C	–	–	6	–	–
1600	NW	3	29.82	–	20	C	–	–	8	–	–
2000	NW	2	29.98	–	16	C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2930	24	9300
EXPENDED	10	–	100
REMAINING	2920	24	9200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 - 1330 Time Lighted 0930 - 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0930	1330	4	00	
TOTAL FOR DAY		4	00	
TOTAL FOR MONTH		62	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N
0400 Checked all Vis A/N
0700 Secured Main Light.
0800 Colors - Turn to
0930 Started Fog signal - Gull Rocks Bell - Main Light on.
1200 Chow
1300 Turn to
1330 Secured fog signal, Main Light & Gull Rocks Bell
1600 Secured from Work - Checked all Vis A/N
1630 Colors - Main Light on.
2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 25 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.10	—	8	C	—	—	8	—	—
0400	W	4	30.14	—	6	C	—	—	8	—	—
0800	W	5	30.20	—	10	BC	—	—	8	—	—
1200	W	5	30.20	—	14	BC	—	—	8	—	—
1600	W	5	30.22	—	16	BC	—	—	8	—	—
2000	W	4	30.28	—	12	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2920	24	9200
EXPENDED	10	—	100
REMAINING	2910	24	9100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		52	—		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured main light

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Secured from work - Checked all Vis A/N

1630 Main Light on - Colors

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

(*Officer in Charge*)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 26 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	2	30.28	—	10	BC	—	—	8	—	—
0400	NW	2	30.28	—	10	BC	—	—	8	—	—
0800	N	2	30.30	—	16	BC	—	—	8	—	—
1200	N	1	30.18	—	22	B/C	—	—	8	—	—
1600	N	1	30.10	—	20	B/C	—	—	8	—	—
2000	NE	2	29.99	—	18	OS	—	—	6	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2910	24	9100
EXPENDED	10	—	100
REMAINING	2900	24	9000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	✓	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
2200	0000	2	—	
TOTAL FOR DAY		2	00	
TOTAL FOR MONTH		54	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked All Vis A/N

0700 Secured main light

0800 Colors - Turned to

1200 chow

1600 - turned to

2100 - checked all vis a/n

2200 - fog horn on

1100 - Owens departed liberty Martt returned

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 27 Jan. 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	3	29.92	-	20	f S	—	—	1	—	—
0400	NE	3	29.87	-	22	B/C	—	—	7	—	—
0800	NE	2	29.85	-	25	B/C	—	—	7	—	—
1200	NE	2	29.80	-	29	B	—	—	7	—	—
1600	W	2	29.81	-	27	B/C	-	-	8	—	—
2000	SW	2	29.83	-	22	B/C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2900	24	9000
EXPENDED	10	-	100
REMAINING	2890	24	8900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
1000	0200	2	00	
TOTAL FOR DAY		2	00	
TOTAL FOR MONTH		56	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all nis a/ok

0200 - fog horn off

0400 - checked all nis a/ok

0700 - main light off

1800 - colors turned to

1200 - chow

1300 - turned to

1600 - checked all nis a/ok

colors secured

1630 - main light off

2000 - checked all nis a/ok

CERTIFIED TO BE CORRECT

(*Officer in Charge*)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sat. 28 Jan 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.85	—	19	B	—	—	8	—	—
0400	SW	1	29.87	—	17	B	—	—	8	—	—
0800	SW	1	29.90	—	21	B	—	—	8	—	—
1200	SW	2	29.90	—	23	B	—	—	8	—	—
1600	SW	3	29.91	—	25	B	—	—	8	—	—
2000	SW	2	29.91	—	23	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2890	24	8900
EXPENDED	10	—	100
REMAINING	2880	24	8800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		56	—		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- checked all nav aids a m

0400- checked all nav aids a m

0700- main light off

0800- colors turned to field day

1100- crew returned from liberty

1200- chow

1700- colors

1630- main light on

2000- checked all nav aids a m

CERTIFIED TO BE CORRECT

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 29 Jan 1967 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.94	—	20	B	—	—	8	—	—
0400	SW	1	29.96	—	19	F	—	—	8	—	—
0800	SW	1	29.96	—	21	B	—	—	8	—	—
1200	SW	1	29.99	—	34	B	—	—	8	—	—
1600	W	1	29.97	—	36	B	—	—	8	—	—
2000	W	1	29.94	—	25	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2886	24	8800
EXPENDED	10	—	100
REMAINING	2870	24	8700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		56	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- checked all misc a/n
0400- checked all misc a/n
0700- main light off
0800- colors observed sabbath
1600- colors
1630- main light on
2000- checked all misc a/n

CERTIFIED TO BE CORRECT

(*Officer in Charge*)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 30 Jan. 1961 (Insert day of week, day, month, year) LOCATION Newport R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.98	—	23	B	—	—	8	—	—
0400	W	1	29.87	—	26	B	—	—	8	—	—
0800	W	2	29.89	—	21	B	—	—	8	—	—
1200	W	2	29.91	—	24	B	—	—	8	—	—
1600	SW	1	29.94	—	24	B	—	—	8	—	—
2000	SW	1	29.97	—	33	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2870	24	8700
EXPENDED	16	—	100
REMAINING	2846	24	8600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED		
ATTACHED		
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 0700 Time Lighted 1230

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		56	—		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all nis a m

0400 - checked all nis a n

0700 - main light off

0800 - colors turned to

1200 - chow

1300 - turned to

1600 - secured - checked all n/s A/N

1630 - main light on colors

2000 - checked all nis a n

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD

DATE (Insert day of week, day, month, year) LOCATION

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.97	—	20	B	—	—	8	—	—
0400	SW	1	29.97	—	19	B	—	—	8	—	—
0800	SW	2	30.00	—	24	B	—	—	8	—	—
1200	SW	0	30.03	—	34	B	—	—	8	—	—
1600	NW	2	30.06	—	32	BC	—	—	8	—	—
2000	NW	2	30.10	—	26	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2860	24	8600
EXPENDED	10	—	100
REMAINING	2850	24	8500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED		
ATTACHED		
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		56		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all nav a n
0400 - checked all nav a n
0700 - main light off
0800 - colors turned to
1200 - chow
1300 - turned to
1600 - secured - checked all nav A/N
1630 - colors main light on
2000 - checked all nav A/N

CERTIFIED TO BE CORRECT

(Officer in Charge)